

KELLYS REYON 50



frame	△ KELLYS SXC Marathon 29 SWT 7005 / RATIO Trail Control Link, 100mm rear travel
frame size	x" S (17") / M (19") / L (21")
fork	🔧 FOX 32 Float Evolution O/C CTD (29), 120mm, air / Open Cartridge / Climb-Trail-Descend / Lockout
head parts	🔗 KLS Race 1.5 integrated
crankset	🔗 SHIMANO M552 (42x32x24)
shifters	🔗 SHIMANO SLX SL-M670 Rapidfire Plus
f/derailleur	🔗 SHIMANO SLX M671 (34.9mm)
r/derailleur	🔗 SHIMANO Deore XT M780
speed	🔗 30
cassette sprocket	🔗 SRAM PG-1030-10 (11-32)
chain	🔗 KMC X10 (110 links)
brakes	🔗 SHIMANO M446 Hydraulic Disc
brake rotors	🔗 160mm front / 160mm rear
brake levers	🔗 SHIMANO BL-M505
wheel set	🔗 MAVIC Crossone Disc 29 (622)
tires	🔗 SCHWALBE Rapid Rob 57-622 (29 x 2.25)
stem	🔗 KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)
handlebar	🔗 KLS Master (31.8mm)
grips	🔗 KLS Advancer LockOn gel
seat post	🔗 KLS Master (31.6mm)
saddle	🔗 fi'zi:k Nisene Mg
pedals	🔗 SHIMANO M505 SPD
rear shock	🔗 FOX Float Evolution CTD, air / Climb-Trail-Descend (size 165mm)

KELLYS REYON 30



frame	 KELLYS SXC Marathon 29 SWT 7005 / RATIO Trail Control Link, 100mm rear travel
frame size	 S (17") / M (19") / L (21")
fork	 ROCK SHOX XC 32 TK Solo Air (29), 100mm, air / PopLoc Remote Lockout
head parts	 KLS Race 1.5 integrated
crankset	 SHIMANO M552 (42x32x24)
shifters	 SHIMANO Deore (14) SL-M610 Rapidfire Plus
f/derailleur	 SHIMANO Deore (14) M611 (34.9mm)
r/derailleur	 SHIMANO Deore XT M780
speed	 30
cassette sprocket	 SRAM PG-1030-10 (11-32)
chain	 KMC X10 (110 links)
brakes	 AVID DB3 Hydraulic Disc
brake rotors	 160mm front / 160mm rear
brake levers	 AVID DB3
hubs	 SRAM MTH-306 Disc (32 holes)
spokes	 stainless steel black
rims	 KLS MadMax Disc 622x18 (32 holes)
tires	 SCHWALBE Rapid Rob 57-622 (29x2.25)
stem	 KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
handlebar	 KLS Master (31.8mm)
grips	 KLS Advancer LockOn gel
seat post	 KLS Expert (31.6mm)
saddle	 KLS Avenger
pedals	 KLS Master - alloy
rear shock	 ROCK SHOX Monarch RL, Solo Air / Lockout (size 165mm)

KELLYS REYON 10



frame	🔺 KELLYS SXC Marathon 29 SWT 7005 / RATIO Trail Control Link, 100mm rear travel
frame size	✖ S (17") / M (19") / L (21")
fork	🔪 SR SUNTOUR XCR LO-R Air (29), 120mm, air / Speed Lockout
head parts	🕒 KLS Master 1.5 integrated
crankset	🔪 KLS Race integrated (44x32x22)
shifters	🔪 SHIMANO Alivio SL-M430 Rapidfire Plus
f/derailleur	🔪 SHIMANO SLX M661 (34.9mm)
r/derailleur	🔪 SHIMANO Deore M591
speed	🕒 27
cassette sprocket	🔪 SHIMANO CS-HG20-9 (11-34)
chain	🔪 KMC X9 (110 links)
brakes	🔪 KLS Helix 7B Hydraulic Disc
brake rotors	🕒 160mm front / 160mm rear
brake levers	🔪 KLS Helix 7B
hubs	🔪 SRAM MTH-306 Disc (32 holes)
spokes	🔪 stainless steel black
rims	🔪 KLS MadMax Disc 622x18 (32 holes)
tires	🔪 SCHWALBE Rapid Rob 57-622 (29x2.25)
stem	🔪 KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
handlebar	🔪 KLS Master (31.8mm)
grips	🔪 KLS Advancer 2Density
seat post	🔪 KLS Expert (31.6mm)
saddle	🔪 KLS Avenger
pedals	🔪 KLS Master - alloy
rear shock	🔪 ROCK SHOX Monarch R, Solo Air / Rebound (size 165mm)